

- PENDANTS: one
- MOUNTING: white powder coated metal mounting plate 115mm (4.5") in diameter
- LAMPING: 1.5w LED or 10w xenon
- INSTALLATION: threaded on - wall or ceiling mount
- MATERIALS: cast glass, electrical components, white powder-coated steel mounting plate
- WEIGHT: approximately 1kg (2lb)
- POWER SUPPLIES: integral (1x per fixture).

#### DESCRIPTION

The 'sp' designation in this variation on the 14 refers to it being surface-mounted, with a mounting plate large enough to cover a standard North American junction box. This surface light has a paintable 115mm (4.5") in diameter mounting plate designed to be mounted on walls as well as ceilings. It is also IP65 designated meaning that the 14sp can be used outdoors and in other wet environments.

The 14sp is an articulated, seamed cast glass hemisphere with a frosted cylindrical void that houses a low voltage lamp. Individual pendants are visually quite subtle, but gain tremendous strength when multiplied and clustered in large groups.

#### NOTES

- + Purchase replacement lamps online at [www.bocci.com/shop/bulbs](http://www.bocci.com/shop/bulbs)
- + Unless otherwise noted when ordering, all chandeliers will be outfitted to be xenon compatible.

US Patent # D556, 361  
 EU Patent # 000518394-0001

Made in Vancouver, Canada

Vancouver  
[sales@bocci.com](mailto:sales@bocci.com)  
[www.bocci.com](http://www.bocci.com)

Berlin  
[europe@bocci.com](mailto:europe@bocci.com)  
[www.bocci.com](http://www.bocci.com)


approx 1kg (2lb)



SURFACE LIGHT - PAINTABLE LARGE PLATE

# 14sp

PRODUCT SPECIFICATION




1

Directly mounted to a junction box.

Note: Up to 5 surface mounted lights may be connected to a single power supply.

Xenon (110V) or LED: connect the black wire to live wire and white wire to neutral wire.

Xenon (230V): connect black wire to brown wire and white wire to blue wire.




2

Join power supply wiring to cover plate wiring using connectors provided.

Tuck wiring into wall opening and affix the back plate with fasteners provided.

**Turn power to fixture on.**

DRY LOCATION



3


For dry location:

Insert provided lamp into socket. Check that each lamp is working properly as you go along by keeping the power on.

Paint over the back plate to match the wall finish.

Note: when using a dimmer use only low voltage electronic dimmers to ensure the fixture works properly.

WET LOCATION



4

For wet location:

Insert provided lamp into socket. Check that each lamp is working properly as you go along by keeping the power on.

Install the silicone ring by slightly stretching it to fit around the back plate.

Install silicone gasket over the nut attached to the pendant.

Note: when using a dimmer use only low voltage electronic dimmers to ensure the fixture works properly.

5

Gently thread cast glass hemisphere onto cover plate. Do not tighten past the point of contact.

6

Clean fingerprints from surfaces.

For additional assistance, please contact Bocci:

Vancouver  
sales@bocci.com  
www.bocci.com

Berlin  
europe@bocci.com  
www.bocci.com

US Patent # D556, 361  
EU Patent # 000518394-0001

Made in Vancouver, Canada



LOW VOLTAGE LUMINAIRE  
E476186

SURFACE LIGHT - PAINTABLE LARGE PLATE

14sp

PRODUCT INSTALLATION INSTRUCTIONS

© 2021, Bocci Design and Manufacturing Inc. All rights reserved. Any inquiries should be directed to: info@bocci.com

**BOCCI**